

SUSTAINABILITY DECLARATION



Item number

KC5132-02

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%

12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
-------	--------------	--------	--------	---------	-----------

1	10	50	-	-	-
---	----	----	---	---	---

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number

KC5132-03

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%

12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
-------	--------------	--------	--------	---------	-----------

1	10	50	-	-	-
---	----	----	---	---	---

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
KC5132-04

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%

12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
-------	--------------	--------	--------	---------	-----------

1	10	50	-	-	-
---	----	----	---	---	---

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number

KC5132-05

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%

12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
-------	--------------	--------	--------	---------	-----------

1	10	50	-	Y	-
---	----	----	---	---	---

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number

KC5132-06

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%

12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
-------	--------------	--------	--------	---------	-----------

1	10	50	-	-	-
---	----	----	---	---	---

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number

KC5132-07

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%
12	Top notch	Top of the shaft	Polyamide (PA)	0,04%

13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	10	50	-	Y	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious

targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela

Buying & Portfolio Director



SUSTAINABILITY DECLARATION



Item number

KC5132-09

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25%	0,06%

			- Copper 0.25% - Iron 98.19%	
12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	mo box	Polybag	Packaging
1	10	50	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number

KC5132-10

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25%	0,06%

			- Copper 0.25% - Iron 98.19%	
12	Top notch	Top of the shaft	Polyamide (PA)	0,04%
13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	10	50	-	Y	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number

KC5132-37

Item description

23 inch manual open umbrella in 190T polyester with wooden shaft, tips and top. Black plating metal ribs. Curved wooden handle. Wood in natural finish. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Handle	Handle	Plywood	20,00%
2	Long ribs	Frame inside the cover fabric	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	20,00%
3	cover fabric	outside	Polyester (PET)	19,00%
4	Shaft	Middle	Plywood	17,00%
5	Short ribs	Frame inside the cover fabric	Iron	15,00%
6	ROSETIE-COVERING CROWN OF RUNNER	middle	Polyamide (PA)	5,00%
7	Tips	End of long ribs	Plywood	3,00%
8	Ferrule	End of shaft	Polyamide (PA)	0,50%
9	Top cap	Middle of cover fabric	Polyamide (PA)	0,27%
10	Spring	Middle of the shaft	Iron	0,08%
11	Screw	between ribs and ribs	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,06%
12	Top notch	Top of the shaft	Polyamide (PA)	0,04%

13	Transparent sheet	Top of the shaft	Polypropylene (PP)	0,02%
14	Thread	Stitching part on tip and rim	Nylon 6	0,02%
15	Button (Silvery part)	Bottom of the shaft	Carbon Steel - Carbon 0.17% - Silicon 0.17% - Manganese 0.65% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.25% - Chromium 0.25% - Copper 0.25% - Iron 98.19%	0,01%
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood , Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	10	50	-	Y	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious

targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela

Buying & Portfolio Director

