

SUSTAINABILITY DECLARATION



Item number
KC5187-03

Item description
30 inch manual open wind-proof umbrella in 190T polyester with fiberglass shaft and ribs. Black plastic tips and top. Straight black EVA handle. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shaft	Middle	70% Glass 30% Epoxy resin	55,00%
2	Cover fabric	Outside	Polyester (PET)	20,00%
3	long ribs	frame inside the cover fabric	70% Glass 30% Epoxy resin	10,00%
4	Short ribs	Frame inside the cover fabric	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	5,00%
5	Ferrule	End of shaft	Polypropylene (PP)	3,00%
6	Tips	End of long ribs	Polypropylene (PP)	3,00%
7	Screw	On the rim	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	2,00%
8	Handle	Handle	Ethylene-vinyl Acetate (EVA)	1,00%
9	Button	Bottom of the shaft	Polypropylene (PP)	0,50%
10	Button (metal part)	Bottom of the shaft	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3%	0,50%

			- Chromium 0.25%	
			- Copper 0.25%	
			- Iron 98.04%	
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, <u>PP</u> , <u>PET</u> , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, <u>EVA</u> , Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	<u>Glass</u> , Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
---------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	25	-	Y	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
KC5187-04

Item description

30 inch manual open wind-proof umbrella in 190T polyester with fiberglass shaft and ribs. Black plastic tips and top. Straight black EVA handle. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shaft	Middle	70% Glass 30% Epoxy resin	55,00%
2	Cover fabric	Outside	Polyester (PET)	20,00%
3	long ribs	frame inside the cover fabric	70% Glass 30% Epoxy resin	10,00%
4	Short ribs	Frame inside the cover fabric	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	5,00%
5	Ferrule	End of shaft	Polypropylene (PP)	3,00%
6	Tips	End of long ribs	Polypropylene (PP)	3,00%
7	Screw	On the rim	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	2,00%
8	Handle	Handle	Ethylene-vinyl Acetate (EVA)	1,00%
9	Button	Bottom of the shaft	Polypropylene (PP)	0,50%
10	Button (metal part)	Bottom of the shaft	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25%	0,50%

			- Copper 0.25%	
			- Iron 98.04%	
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA , Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass , Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	25	-	Y	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
KC5187-06

Item description

30 inch manual open wind-proof umbrella in 190T polyester with fiberglass shaft and ribs. Black plastic tips and top. Straight black EVA handle. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shaft	Middle	70% Glass 30% Epoxy resin	55,00%
2	Cover fabric	Outside	Polyester (PET)	20,00%
3	long ribs	frame inside the cover fabric	70% Glass 30% Epoxy resin	10,00%
4	Short ribs	Frame inside the cover fabric	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	5,00%
5	Ferrule	End of shaft	Polypropylene (PP)	3,00%
6	Tips	End of long ribs	Polypropylene (PP)	3,00%
7	Screw	On the rim	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	2,00%
8	Handle	Handle	Ethylene-vinyl Acetate (EVA)	1,00%
9	Button	Bottom of the shaft	Polypropylene (PP)	0,50%
10	Button (metal part)	Bottom of the shaft	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25%	0,50%

			- Copper 0.25%	
			- Iron 98.04%	
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA , Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass , Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	25	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director

SUSTAINABILITY DECLARATION



Item number
KC5187-07

Item description

30 inch manual open wind-proof umbrella in 190T polyester with fiberglass shaft and ribs. Black plastic tips and top. Straight black EVA handle. Manual closure.

Material content

Part	Component description	Position	Material	Weight Percentage
1	Shaft	Middle	70% Glass 30% Epoxy resin	55,00%
2	Cover fabric	Outside	Polyester (PET)	20,00%
3	long ribs	frame inside the cover fabric	70% Glass 30% Epoxy resin	10,00%
4	Short ribs	Frame inside the cover fabric	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	5,00%
5	Ferrule	End of shaft	Polypropylene (PP)	3,00%
6	Tips	End of long ribs	Polypropylene (PP)	3,00%
7	Screw	On the rim	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25% - Copper 0.25% - Iron 98.04%	2,00%
8	Handle	Handle	Ethylene-vinyl Acetate (EVA)	1,00%
9	Button	Bottom of the shaft	Polypropylene (PP)	0,50%
10	Button (metal part)	Bottom of the shaft	#45 steel - Carbon 0.42% - Silicon 0.17% - Manganese 0.5% - Phosphorus 0.035% - Sulfur 0.035% - Nickel 0.3% - Chromium 0.25%	0,50%

			- Copper 0.25%	
			- Iron 98.04%	
			Total	100,00%

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET , RPET, PS, PVC, ABS, VI, Silicone, POM, ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA , Nylon	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass , Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

Recyclability of material	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

Renewable source

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

End of life suggestion



Trademarks of material

-

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory

-

Packaging and Transport

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	25	-	-	-

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean

Mrs. P. Varela



Buying & Portfolio Director