

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-03

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-04

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-05

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-06

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-09

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-10

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**



**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**



**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-12

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-37

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-38

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director

# SUSTAINABILITY DECLARATION



**Item number**  
MO9354-48

**Item description**

Lanyard with metal hook and safety breakaway. 20 mm wide. Sublimation print available on white item only.

**Material content**

Part	Component description	Position	Material	Weight Percentage
1	Lanyard	Body	Polyester	50,40%
2	Hook	Lower	Zinc Alloy: 95.9756% Zinc 3.98% Aluminium	33,60%
3	Safety buckle	Upper	Polyoxymethylenes (POM)	16,00%
			<b>Total</b>	<b>100,00%</b>

Material information	Petrochemical	Partly Biobased	Biobased
Non-biodegradable	PA, PC, PE, PP, PET, RPET, PS, PVC, ABS, VI, Silicone, <b>POM</b> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <b>Polyester</b>	PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS, Polyester/Latex	Glass, Basalt Stone, Ceramic, Chalk
Biodegradable (industrial)	PBAT	PLA/BPAT	Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble, Leather

<b>Recyclability of material</b>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
----------------------------------	---	-----------------------------

**Renewable source**

Recycled material	Natural material	Reused waste material
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**End of life suggestion**

**Trademarks of material**

-

**Fulfilled technical standard**

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

**Quality certifications/ social audits factory**

**Packaging and Transport**

Piece	Inner Carton	Carton	no box	Polybag	Packaging
1	0	1000	-	Y	25 pcs per polybag

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

**midocean**

Mrs. P. Varela



Buying & Portfolio Director