TEST REPORT

Applicant : Mid Ocean Brands B.V.

Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street Cheung Sha Wan, Kowloon, Hong Kong

(The following sample(s) was (were) submitted and identified by client as)

Sample Name	:	Foldable knife in acacia wood
Model/Item No.	:	MO2297
Vendor Code	:	107978
Test Period	:	From May 06, 2026 to May 14, 2026
Tests Conducted	:	As requested by the applicant, for details refer to next page(s).

Signed for and on behalf of

Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by:

Pascal SHI/Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

TEST REPORT

Executive Summary:

No.	TESTED SAMPLES	STANDARD / REQUIREMENT	CONCLUSION
1	Tested material(s) of submitted sample(s)	Entry 63 of Annex XVII to the REACH Regulation (EC) No.1907/2006 - Lead (Pb)	PASS
2	Tested material(s) of submitted sample(s)	Entry 77 of Annex XVII to the REACH Regulation (EC) No.1907/2006 - Formaldehyde	PASS
3	Tested material(s) of submitted sample(s)	REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on Persistent Organic Pollutants (POPs) - Pentachlorophenol (PCP)	PASS
4	Tested material(s) of submitted sample(s)	Regulation (EU) No 1935/2004 and Technical guide on Metals and alloys used in food contact materials and articles (2nd edition), supplementing Council of Europe Resolution CM/Res (2020)9 - Specific migration of heavy metals	PASS

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

TEST REPORT

TESTS CONDUCTED:

1. Lead (Pb)

Test Method: With reference to EPA 3052:1996, EPA 3050B:1996, the analysis was performed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Material No.	Limit (mg/kg)	RL (mg/kg)	Test Result (mg/kg)	Conclusion
1	500	2	N.D.	PASS
2+3+4	500	2	N.D.	PASS
5+6	500	2	N.D.	PASS

Note:

1. mg/kg = Milligram per kilogram.
2. N.D. = Not Detected (< RL).
3. RL = Reporting Limit.

2. Formaldehyde (CAS No.50-00-0)

Test Method: With reference to EN 717-1:2004, by Ultraviolet-visible Spectrophotometer (UV-Vis) analysis.

Material No.	Limit (mg/m^3)	RL (mg/m^3)	Test Result (mg/m^3)	Conclusion
1	0.062	0.005	N.D.	PASS

Note:

1. RL= Reporting Limit.
2. mg/kg = Milligram per kilogram.
3. N.D. = Not Detected (< RL).

3. Pentachlorophenol (PCP)

Test Method: With reference to EPA 3550C:2007, by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Material No.	Limit (mg/kg)	MDL (mg/kg)	Test Result (mg/kg)	Conclusion
1	5	0.2	N.D.	PASS

Note:

1. MDL = Method Detection Limit.
2. mg/kg = Milligram per kilogram.
3. N.D. = Not Detected (< MDL).

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

TEST REPORT

4. Specific migration of heavy metal

Test Method: With reference to the Chapter 3 of the Technical guide on Metals and alloys used in food contact materials and articles (2nd edition), the analysis was performed by Atomic Absorption Spectrophotometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) or Inductively Coupled Plasma Mass Spectrometer (ICP-MS).

Test Condition: 5g/L Citric acid, 70℃,2h, 3 times release tests

Test Item	RL (mg/kg)	Limit (mg/kg)		Test Result (mg/kg)		Conclusion
				2		
		Migration of $1^{st}+2^{nd}$	Migration of 3^{rd}	Migration of $1^{st}+2^{nd}$	Migration of 3^{rd}	
Aluminum (Al)	0.2	35	5	N.D.	N.D.	PASS
Antimony (Sb)	0.02	0.28	0.04	N.D.	N.D.	PASS
Chromium (Cr)	0.1	7	1	N.D.	N.D.	PASS
Cobalt (Co)	0.01	0.14	0.02	N.D.	N.D.	PASS
Copper (Cu)	0.2	28	4	N.D.	N.D.	PASS
Iron (Fe)	0.5	280	40	N.D.	N.D.	PASS
Magnesium (Mg)	1.0	--	--	N.D.	N.D.	PASS
Manganese (Mn)	0.2	3.85	0.55	N.D.	N.D.	PASS
Molybdenum (Mo)	0.02	0.84	0.12	N.D.	N.D.	PASS
Nickel (Ni)	0.02	0.98	0.14	N.D.	N.D.	PASS
Silver (Ag)	0.02	0.56	0.08	N.D.	N.D.	PASS
Tin (Sn)	1.0	700	100	N.D.	N.D.	PASS
Ti(Titanium)	0.01	--	--	N.D.	N.D.	PASS
Vanadium (V)	0.005	0.07	0.01	N.D.	N.D.	PASS
Zinc (Zn)	1.0	35	5	N.D.	N.D.	PASS
Zirconium (Zr)	1.0	14	2	N.D.	N.D.	PASS
Arsenic (As)	0.001	0.014	0.002	N.D.	N.D.	PASS
Barium (Ba)	0.2	8.4	1.2	N.D.	N.D.	PASS
Beryllium (Be)	0.005	0.07	0.01	N.D.	N.D.	PASS
Cadmium (Cd)	0.002	0.035	0.005	N.D.	N.D.	PASS
Lead (Pb)	0.002	0.070	0.010	N.D.	N.D.	PASS
Lithium (Li)	0.01	0.336	0.048	N.D.	N.D.	PASS
Mercury (Hg)	0.002	0.021	0.003	N.D.	N.D.	PASS
Thallium (Tl)	0.001	0.007	0.001	N.D.	N.D.	PASS

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

TEST REPORT

Note:

1. mg/kg = Milligram per kilogram.
2. N.D. = Not Detected (< RL).
3. RL = Reporting Limit.

Test Material(s) List

Material No.	Description	Location
1	Brown wood	Handle
2	Silvery metal	Blade
3	Silvery metal	Handle
4	Silvery metal	Nail
5	Silvery metal	Plate
6	Golden metal	Nail

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn

TEST REPORT

Photo Appendix



★★★★★End of Report★★★★★

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel：+86-20-84900678 Fax：+86-20-84910993
Email：cs@ccilab.com.cn Website：www.ccilab.com.cn